



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

When the path is any other curve whose projection on the v, θ -plane has a horizontal tangent at the zero line, its projection on the s, θ -plane is a curve of two distinct branches that meet the zero line in a cusp. The common slope $ds/d\theta$ of these branches at the point of meeting determines the value, at this point, of the specific heat c with regard to the path.

When the path is any curve whose projection on the v, θ -plane has not a horizontal tangent at the point of meeting the zero line, its projection on the s, θ -plane is a curve tangent to the zero line at the point of meeting. Hence the slope $ds/d\theta$ of the zero line at this point determines the value there of the specific heat c with regard to the path. The isobar and the isometric (the curve of constant volume) through the point are such paths.

III. A CHECK FORMULA FOR THE AMBIGUOUS CASE IN PLANE TRIANGLES.

By W. R. RANSOM, Tufts College.

In the solution of a triangle for which sides a and b and angle A are given, two values B' and B'' are first obtained for the angle opposite b ; then two angles C' and C'' are found, and finally two sides c' and c'' . The obvious relation $\frac{1}{2}(c' + c'') = b \cos A$ may be used to discover the presence of an error in either of the two triangles that have been computed. This formula does not appear in any text book with which I am acquainted: has it not been employed by some one?

IV. THE "KING'S CHAMBER" AND THE GEOMETRY OF THE SPHERE.

By F. J. DICK, Râja-Yoga College.

That the designers of the Great Pyramid possessed a thorough knowledge of the geometry of the sphere has been recognized by some, although the usual view¹ is confined to the recognition of their knowledge of the value of π . The length of the "King's Chamber" is exactly double the breadth, while its height is exactly half the diagonal of the floor.² Thus if the width be called 2, and the length 4, the "cubic diagonal" of the chamber is 5.

Attention is drawn to the significance of this in connexion with the geometry of the sphere. Let the rectangle $DABC$, 4 units by 2, represent the floor plan (a shape, by the way, found in many ancient temples). Let the circumscribed circle represent the diametral section of a sphere and let two other spheres touch at the center as shown forming the double *vesica piscis* $\phi O \eta S$ and $\epsilon N \theta O$, determining the planes JH and FG cutting the cylindrical envelope $\kappa \lambda \mu \nu$. The diagonals JG and FH coincide with the diagonals of $DABC$, and are each 5 in length, *i.e.*, they are of the length of the cubic diagonal of the "King's Chamber." These are the traces of cones cutting the sphere $WNES$ in the small circles whose diameters are AB, CD . Join AN , and draw the circle $TMPQR$. Then AN measures a side of the pentagon $TMPQR$ whose diagonals only are shown. Pro-

¹ W. M. F. Petrie, *The Pyramids and Temples of Gizeh*, London, 1883.

² *Op. cit.*, p. 195.